

C++ command-line arguments

Tom Latham
(based on slides from Matt Williams)

THE UNIVERSITY OF
WARWICK

Command-line arguments

- There are two main ways to pass information into a program:
 - Interactively (text or GUI)
 - Good for new users
 - Step-by-step instructions
 - Command-line arguments
 - Reproducible
 - 'Fire and forget'

An example: g++

- It would be a pain to have to deal with g++ interactively

```
$ g++
```

```
Enter name of C++ file: main.cpp
```

```
Enter name of output file: myprogram
```

```
Enable C++11 [y/n]: y
```

```
Enable all warnings [y/n]: y
```

```
$
```

- Instead we provide the program arguments up-front so we can run the same command over-and-over again with minimal typing

```
$ g++ -Wall -Wextra -std=c++11 -o myprogram main.cpp
```

Arguments to mpags-cipher

- We would like to be able to do the same with our program, e.g.

```
$ ./mpags-cipher -i plain.txt -o cipher.txt -c caesar -k 17 --encrypt
```

- But how do we get the information that the user supplies on the command-line into variables within our program?
- The operating system splits the command line by whitespace and passes it to the program as a list of strings:

```
{"./mpags-cipher", "-i", "plain.txt", "-o", "cipher.txt", "-c", "caesar", "-k", "17", "--encrypt"}
```

- The values are passed to the **main()** function of our program

Reading arguments in C++

- Due to backward compatibility with C, the way that these appear in `main()` are as two function arguments:
 - `argc` is an integer - the number of arguments
 - `argv` is a C-style array of C-style strings - the arguments themselves
- These are rather fiddly to work with, so best to immediately convert them into a more usable form, a `std::vector` of `std::string` objects:

```
int main(int argc, char* argv[])
{
    const std::vector<std::string> cmdLineArgs { argv, argv+argc };
```

- We can then loop over and/or access the individual arguments as with any `std::vector`

Exercise: reading arguments in C++

- *Edit your main function to print out each argument that was passed to the program*
- You'll need to use the code on the previous slide and add a 'for' loop
- Try running your program with different numbers of arguments and make sure it adapts

Terminology

- Useful to distinguish between:
 - **argument**
 - These are non-optional parts which are fundamental to the program. e.g. the list of .cpp files passed to g++
 - **option**
 - An optional argument, usually marked by **--output=foo** or **-o foo**
 - **flag**
 - Like an option but without the second part. Changes some behaviour of the program. e.g. **-Wall**

Exercise: printing a help message

- A common command-line flag is **-h** or **--help**, which makes the program print some information about how to use the program, e.g.

```
$ g++ --help
Usage: g++ [options] file...
Options:
  -pass-exit-codes  Exit with highest error code from a phase
  --help            Display this information
  --target-help     Display target specific command line options
  ...
  ...
```

- *Edit your program to check for the presence of either of those options (-h or --help) and print some help text*

Handling options

- We can now handle arguments and flags but options are different in that they span more than one entry in the list

```
{"./mpags-cipher", "-i", "plain.txt", "-o", "cipher.txt", "-c", "caesar", "-k", "17", "--encrypt"}
```

- In the above example, in order to determine the name of the output file name, one needs to check for the presence of **-o** and, if found, use the value of the next element to obtain the output file name
- The parsing of the rest of the arguments must then continue from the argument after that, i.e. two after the **-o**

Exercise: handle all the options

- *Edit your program to handle -h, --help, --version, -i `input_file` and -o `output_file`*
- *Print the appropriate output or, for the files, store the name of the file supplied in a variable and print it out*
- All arguments should be optional and available in any order
- The program should also print appropriate messages if there was a problem parsing the arguments

Using a library for the job

- You've had to write all the code to do the checking manually
- Once the program gets more complicated you may want to automate it
- Most software will use a library for doing this. A common one for C++ is provided by Boost as `boost::program_options`
- Other languages have their own such as Python's `argparse`

boost::program_options

```
#include <boost/program_options.hpp>
namespace po = boost::program_options;

int main(int argc, char* argv[])
{
    std::string input_file;

    po::options_description desc("Allowed options");
    desc.add_options()
        ("help", "produce help message")
        ("i", po::value(&input_file), "Name of input file");

    po::variables_map vm;
    po::store(po::parse_command_line(argc, argv, desc), vm);
    po::notify(vm);

    if (vm.count("help")) {
        cout << desc << "\n";
        return 0;
    }
    ...
}
```